ADMINISTRATIVE REPORT 1.1 - INDUSTRIAL

THE FOLLOWING IS REQUIRED FOR NEW AND AMENDMENT APPLICATIONS

1.	AFFECTED LANDOWNER INFORMATION (Instructions, Pages 19-20)
a. Ind	licate by a check mark that the landowners map or drawing, with scale, includes the following, as applicable.
_ ✓	The applicant's property boundaries
✓	The plant site boundaries within the applicant's property boundaries
	The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
✓	The property boundaries of all landowners surrounding the applicant's property
	The point(s) of discharge and highlighted discharge route clearly shown for one mile downstream
	The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
✓	The property boundaries of the landowners along the watercourse for a ½ mile radius from the point of
	discharge if the point of discharge is into a lake, bay estuary, or effected by tides
	The boundaries of the effluent disposal site, all evaporation/holding ponds within the applicant's property
	The property boundaries of all landowners surrounding the applicant's property boundaries where the effluent disposal site is located
	The boundaries of the sludge use/disposal/incineration site and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge beneficial site is located
	The property boundaries of landowners within ½ mile in all directions from the applicant's property boundaries where the sewage sludge disposal incineration site is located
Note: S c. Ind	icate by a check mark which format the landowners list is submitted: Disk 4 sets of labels WEPCO owns all property within 1/2 mile in all directions from Outfall 002, long the watercourse list of landowners is cross-referenced to the landowners map:
Provid	e the source of the landowner's names and mailing addresses: Land agent for Sabine Mining Co. (AEP)
	required by Texas Water Code 5.115, is any permanent school fund land affected by this application? Yes
If yes,	provide the location and foreseeable impacts and effects this application has on the land(s):
N/A	
	'
ı	ı
2.	ORIGINAL PHOTOGRAPHS (Instructions, Page 21)
	ee attached photographs and map. e original ground level photographs. Indicate by checking that the following information is provided:
Provia	At least one original photograph of the new and/or expanded treatment unit location.
	At least one original photograph of the new analog expanded treatment unit location. At least one original photograph showing the proposed/existing point of discharge and as much area downstream
	as can be captured on film. If the discharge is to an open waterbody, show as much area on both sides of the point of discharge as can be captured on film.

At least one photograph of the existing/proposed effluent disposal site.
 A plot plan or map showing the location and direction of each photograph.

ORIGINAL GROUND LEVEL PHOTOGRAPHS



OUTFALL 002 – FACING EAST-SOUTHEAST



OUTFALL 004 - FACING SOUTH


ORIGINAL GROUND LEVEL PHOTOGRAPHS



OUTFALL 005 – FACING WEST



OUTFALL 006 – FACING WEST-SOUTHWEST



TECHNICAL REPORT 1.0 - INDUSTRIAL

THE FOLLOWING IS REQUIRED FOR ALL APPLICATIONS, RENEWAL, NEW, AND AMENDMENT

- 1. FACILITY/SITE INFORMATION (Instructions, page 22)
- a. Describe the type of activity and general nature of your business.

Steam Electric Power Generation
b. SIC Code(s) 4911,,,,,
Once-through Cooling Water from Condensers.
Non-contact cooling water for pumps and equipment. Metal cleaning wastes from cleaning of metal equipment.
Domestic Sewage effluent from treatment of domestic wastewater via sewage treatment plant. Ash transport water from ash handling system.
Miscellaneous wastewater from plant equipment and floor drains. Storm water runoff from coal pile.
Storm water runoff from various plant areas combined with other wastewater previously mentioned.

d. Provide a list of raw materials, major intermediates, and products handled at your facility.

Raw Materials	Intermediate Products	Final Products
Natural Gas	Steam	Electricity
Water		
Air		

e.	Indicate by a check mark that an attached facility map with the following information was provided with the application:
	Production areas, maintenance areas, materials handling areas, and waste disposal areas.
	The location of each unit of the wastewater treatment plant including the location of wastewater collection sumps and impoundments.
	Attachment: C
f.	Is this a new permit application for an existing facility? Yes No
If	yes, provide background discussion below.
Ifı	Is the treatment facility/disposal site located above the 100-year frequency flood level? Yes No st source(s) used to determine 100-year frequency flood plain: National Weather Service no, provide the elevation of the 100-year frequency flood plain and describe what protective measures are in use planned to be used to prevent flooding of the treatment facility/disposal area.
h.	For new or amendment permit applications, will there be discharge of fill material into a water in the state for construction of the proposed outfall structure? Yes No If no , proceed to Item No. 2. If yes , has the applicant applied for a U.S. Corps of Engineers 404 Dredge and Fill permit? No If yes , provide the permit number: If no , provide the approximate date you anticipate submitting your application to the Corps.

2. '	TREATMENT	SYSTEM (Instructions.	page 23)
------	-----------	----------	---------------	----------

a. List any physical, chemical, and/or biological treatment process that you use for the treatment of wastewater at your facility. Include a description of each treatment process starting with initial treatment and finishing with the discharge point.

Chlorination of Once-Through Cooling Water prior to discharge via Outfall 002. Settling and Precipitation/Flocculation of Storm Water prior to discharge via Outfall 003. Settling and Precipitation/Flocculation of Storm Water prior to discharge via Outfall 004. Settling and Precipitation/Flocculation of Storm Water prior to discharge via Outfall 005. Separation, pH adjustment, settling, and Precipitation/Flocculation of bottom ash water/low volume wastes prior to discharge via Outfall 006.
pH neutralization, filtration, settling, oil/water separation of various low volume waste sources prior to discharge via Outfall 102. pH neutralization, filtration, settling, oil/water separation, chemical wastewater treatment of any wastewater routed to "plant x" for treatment prior to discharge via Outfall 202. pH neutralization, filtration, settling/clarifier solids separation, chlorination, and chemical wastewater treatment of domestic wastewater prior to discharge via Outfall 302.
Indicate by a check mark that an attached flow schematic with a water balance was provided with the application showing each treatment unit and all sources of wastewater flow into the treatment plant and to each outfall/point of disposal. Attachment: D
3. IMPOUNDMENTS (Instructions, page 23)
Do you use or plan to use any wastewater lagoons, ponds, or impoundments? Yes No If yes, complete item 3(a) for existing impoundments and items 3(a)-3(f) for new or proposed impoundments. In no, proceed to Item No. 4.
a. Provide the following information in the table provided:
Designation: Indicate the appropriate use designation for each pond [Treatment (T), Disposal (D), Containment (C)

Discharge Point: If a discharge occurs from the impoundments, designate the outfall associated with the impoundment.

Liner Information: If the impoundments are lined to comply with specifications outlined for 1) a compacted clay liner (C), 2) an in-situ clay liner (I), or 3) a synthetic/plastic/rubber liner (S), indicate the liner type with the appropriate letter designation (see instructions for further detail on liner specifications). If not, provide a reference to the attachment that provides a description of the alternate liner and any additional technical information necessary for an evaluation.

Dimensions: Provide the dimensions(s), freeboard, surface area, and storage volume capacity of the impoundments. For impoundments with irregular shapes, submit surface area (instead of length and width), the average depth, and the maximum depth below natural ground level.

or Evaporation (E)]

Impoundment Information Table

	Pond # _1	Pond # 2	Pond#3	Pond # _4	Pond #_5
Designation					
(T) (D) (C) or (E)	T	T	T	Т	Т
Discharge Point					
Outfall Number	003	004	005	006	202
Liner Information	To a supplier to the supplier				
Liner Type (C) (I) or (S)	С	С	С	С	С
Alt. Liner Attachment Reference	n/a	n/a	n/a	n/a	n/a
Dimensions					
Length (feet)	<u>500</u> ft	_800_ft	_400_ft	_2600_ft	<u>525</u> ft
Width (feet)	_ 450 _ft	_700_ft	_ 350 _ft	<u>1200</u> ft	_200 _ft
Depth from Water Surface	_ 20 _ft	_15 _ft	_20 _ft	_20_ft	_10ft
Depth from Nat. Ground Level	7ftavgl0fmax	7f@vg0f@ax	7ft_ ^{avg} l0ff ^{ax}	6ft ^{avg} l0ff ^{max}	5ftav &ft max
Freeboard (feet)	_ 3 _ft	_ 3 _ 1		ft	ft
Surface Area (acres)	5.18 acres	112 <u>588</u> acres	3.22 acres	71 <u>.76</u> acres	2 <u>.42</u> acres
Storage Capacity (gallons)	9. 32 <u>×106</u> gal.	8.1 <u>5x10⁶gal</u> .	2.85x106gal.	61.26×10gal.	3.9x106gal.

	Pond #	Pond #	Pond #	Pond #	Pond #
Designation					
(T) (D) (C) or (E)					
Discharge Point					
Outfall Number					
Liner Information	di Wakii shiyar				
Liner Type (C) (I) or (S)					
Alt. Liner Attachment Reference					L
Dimensions					764
Length (feet)	ft	ft	n	ft	ft
Width (feet)	ft	ft	ft	<u> </u>	ft
Depth from Water Surface	ft -	ft	ft	t	ft
Depth from Nat. Ground Level	avgmax	avgmax	avgmax	avgmax	avgmax
Freeboard (feet)	ft		ft	ft	ft
Surface Area (acres)	acres	acres	acres	acres	acres
Storage Capacity (gallons)	gal.	gal.	gal.	gal.	gal.

THE FOLLOWING ITEMS ARE REQUIRED ONLY FOR <u>NEW OR PROPOSED</u> IMPOUNDMENTS. b. Indicate by a check mark if any of the following data was provided with the application: Synthetic/plastic/rubber liner data (2) In-situ clay liner data Attachment: c. Are there any leak detection systems or ground water monitoring wells in place or planned? ____Yes _____No If yes, indicate by a check mark that a separate attachment was provided with the leak detection system information for each pond and/or ground water monitoring well data. Attachment: d. Is the bottom of the pond above the seasonal high water table in the most shallow water bearing zone? _____ Yes _____ No If no, indicate by a check mark that additional information was provided describing the depth of the seasonal high water table in the most shallow water bearing zone in relation to the depth of the bottom of the new or proposed impoundment and how this may or may not impact groundwater. Indicate by a check mark that the following information was provided: A USGS quadrangle map or a color copy of original quality and scale which accurately locates and identifies water supply wells and/or monitor wells within ½ mile radius of the impoundments. Copies of State Water Well Reports (driller's logs, completion data), and data on depths to ground water for water supply wells including a description of how the depths to ground water were obtained. For TLAP permit applications: Indicate by a check mark that the new or proposed impoundment(s) and the land application disposal area are located in the same general area and the information for this item is provided in Worksheet 3.0 (item 8). Indicate by a check mark if any data was provided with the application pertaining to the ground water,

4. OUTFALL/DISPOSAL METHOD INFORMATION (Instructions, page 25)

potential for contamination of ground water or surface water.

Complete the following tables to describe the location and wastewater discharge or disposal operations for each outfall for discharge operations and for each point of disposal for TLAP operations.

soils, geology, etc. used to assess the potential for migration of wastes from the impoundments and/or the

For TLAP permit applications: Indicate the disposal method and each individual irrigation area (I), evaporation pond (E), or subsurface drainage system (S) by providing the appropriate letter designation for the disposal method followed by a numerical designation for each disposal area (e.g. evaporation pond, application area) in the space provided for "Outfall" designation (e.g. "E1" for evaporation pond 1, "12" for irrigation area No. 2, etc.).

	Lati	tude		Long	jitude					
32	27'	30"	94	29'		00"	End of distance canal prior to entering Brandy			
Pern	itted F	low (MGD)	Prop	osed F	low (M	(GD)				
Dly 2	Avg	Dly Max	Dly	Avg	Dly	Max		Discharge Du	ration	
600		600	600		600		(h	ars./day) 31 (days	/mo.) 12 (mo./year)	
_ ✓ P	umped	Gravity	Measu	rement	Device:	Pump	Curves	Intermittent	Seasonal 🗸 Continuous	
Contri	buting	Wastestrean	15:					Volume (MGD)	% of Total Flow	
Once-	throug	gh Cooling \	Nater					544.32	100%	
					·					
									···	

OUTFALL: 003

Latitude					Long	gitude		Location Description				
32	27'		30"	94	29'		00"	Lignite Storage Runoff Pond				
Permitted Flow (MGD) P				Proj	Proposed Flow (MGD)				<u></u>			
Dly Avg Dly Max				Dly	Dly Avg Dly Max				Di	scharge Du	ration	
Variable Variable			Variable Variable		iable	(hrs./day)(days/mo.)(mo./year						
P	umped	✓_(Gravity	Measu	rement	Device	_{e:} Estim					Continuous
Contr	ibuting	Was	testream	s:					Volun	ie (MGD)	% of	Total Flow
Storn	ı wate	r fror	n Lignite	e Storaç	je area	a			0 - 5		100%	
										-		
								******			·····	·
-			<u> </u>									
												

OUTFALL: 004

Latitude				Long	itude		Location Description			
32 27' 00" 94 29' 00" Southwest side of ash landill								HIII		
Perm	itted Fl	low (MGD)	Pro	osed F	low (MC	GD)				
Dly A	vg	Dly Max	Dly Avg Dly Max			Max		Discharge Du	ıration	
Variab	le	Variable	Variable Variable			ble	(h	rs./day)(day:	s/mo.)(mo./year)	
Pumped _ Gravity Measurement Device: Estimated								Intermittent	Seasonal Continuous	
Contril	buting '	Wastestream	s:				_	Volume (MGD)	% of Total Flow	
Storm	water	runoff from	ash lar	dfill/fl	ue gas			0 - 5	100%	
desulp	huriza	ition areas			,			variable	0-2%	
•										
			•							
			•							

OUTFALL: 005

	Latio	tude			Long	itude		Lo	cation De	scription	
32	27'		30"	94	29'		00"	vvest of Limesto	ne Storaç	је агеа	
Pern	nitted F	low (MGD)	Pro	Proposed Flow (MGD)						
Dly A	Avg	Đ	y Max	Dly	Avg	Dly	Max	Discharge Duration			
Va	riable	Var	iable	Varia	ble	Variable		(hrs./day)(days/mo.)(mo./			
P	umped _	√ (Gravity	Measu	rement	Device:	Estima	ate	rmittent	Seasonal	Continuous
Contri	ibuting	Was	testream	s:				Volum	ne (MGD)	%	of Total Flow
Storm	ı water	fror	n Limes	tone St	orage	area		0 - 5		100%	, D
											,

	·										

5.	BLOWDOW	N AND ONCE-THROU	GH COOLING WATER DISCI	HARGES (Instructions, page 26)
a.		ility use any cooling tower. YesNo	ers or boilers that discharge blow	down or other wastestreams to the
b.	Does your faci	ility discharge once-throu	gh cooling water to the outfall(s)?	✓ YesNo
c.			with a check mark that the approvas submitted with the application	copriate MSDS with the following
	/ Production / Classi / Production / Frequeties / Production / Product	ical Composition including product as non-persisted of or active ingredient haltency of product use (e.g., at toxicity data specific to Concentration of whole product use (e.g., and the product use (e.g., and toxicity data specific to concentration of whole product use (e.g., and e.g.,	icide, corrosion inhibitor, etc.) g Chemical Abstracts System (CA ant, persistent, or bioaccumulative	nisms. tem is for whole product)
and			in addition to the submittal of the Necify which outfalls are affected.	MSDS for each specific wastestream
d.	Cooling Towe	ers and Boilers		
		Number of Units	Daily Avg. Blowdown	Daily Max Blowdown
C	ooling Towers	0 cooling towers	Daily Avg:na gallons/day	Daily Max:na_ gallons/day
В	oilers	1 boilers	Daily Avg: _na gallons/day	Daily Max: 96K gallons/day
Are wa	e there any ex stestreams?	Yes No. If yes, narrative description of the in exposure of the materia	alls which discharge storm water provide the following information	nat occur outdoors or in some manner s where runoff is generated.
T	hese ponds are	e used for settling of sol	ids from the ash handling syste ond system are discharged via	em prior to discharge.

	DOMESTIC SEWAGE, SEWAGE SLUDGE, AND/OR SEPT (Instructions, page 27)	AGE MANAGEMENT AND DISPOSAL
a.	Please check the appropriate method(s) of domestic sewage and do complete Attachment F if directed.	mestic sewage sludge treatment/disposal and
	Domestic sewage is not generated on-site. PROCEED TO I	TEM NO. 8.
_	Both domestic and industrial treatment sludge ARE comming ITEM NO. 8.	tled prior to use or disposal. PROCEED TO
	Industrial wastewater and domestic sewage are treated sep commingled prior to sludge use or disposal. COMI APPLICATION.	parately and the respective sludge IS NOT PLETE WORKSHEET 5.0 OF THIS
	If your facility is a POTW, COMPLETE WORKSHEET 5.	0 OF THIS APPLICATION.
<u>√</u>	Facility is connected to a wastewater treatment plant permitted sewage is transported off-site to a permitted facility for treatmen 7.B.	
	Domestic sewage is disposed of by an on-site septic tank. CC	OMPLETE ITEM 7.B.
	Other. Please provide a detailed description below.	
<u> </u>	Provide the name and TCEQ, NPDES, and/or TPDES Permit No. the domestic sewage/septage. If hauled by motorized vehicle, provide hauler.	ride the name and TCEQ Registration No. of
<u> </u>	lant/Hauler Name ity of Lone Star POTW	Permit/Registration No.
<u> </u>	ransporter: Phillips Services, Inc.	Reg. #20124, TDH #1421
8.	IMPROVEMENTS OR COMPLIANCE/ENFORCEMENT For the permittee currently required to meet any implementation schedules are selected. Yes ✓ No	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	ves, provide a brief summary of the requirements and a status upda	te.

9. TOXICITY TESTING (Instructions, page 27)	
Have any biological tests for acute or chronic toxicity been made on any of your discharin relation to your discharge within the last three (3) years? Yes No	rges or on a receiving water
If yes, identify the tests and describe their purposes below. Please attach a copy of all to been previously sent to the TCEQ and/or EPA.	ests performed that have no
Chronic toxicity testing is required in the wastewater permit at Outfall 002. Acute toxicity testing is required in the wastewater permit at Outfalls 002, 102,	and 006.
10. OFF-SITE/THIRD PARTY WASTES (Instructions, page 28)	
Do you receive wastes from off-site sources for treatment in your facility, disposal of and/or discharge via a permitted outfall? Yes No	n-site via land application
If no, proceed to Item No. 11. If yes, proceed as directed.	
a. Indicate with a check mark that a detailed attachment with the following informa application: Attachment: G	tion was provided with the
 List of wastes received Characterization of wastes received Volumes of each waste received Info. on compatibility with on-site wastes Identified sources of Name and addresses Description of the resource(s) with your source(s) with your source 	
b. Is wastewater from a TCEQ, NPDES, and/or TPDES permitted facility commingled your final treatment and prior to discharge via your final outfall/point of disposal?	
If yes, provide the name, address, and TCEQ, NPDES, and/or TPDES permit number and a copy of any agreements and/or contracts relating to this activity.	of the contributing facility
c. Is your facility a Publicly Owned Treatment Works (POTW) that accepts pro Significant Industrial User (SIU) and has or is required to have an approved pretr NPDES/TPDES program? Yes _✓ No If yes, complete Worksheet 6.6	eatment program under the
11. RADIOACTIVE MATERIALS (Instructions, page 28)	
Are radioactive materials mined, used, stored, or processed at this facility? Yes	sNo
If yes, Provide a list of the materials and the results of one analysis of your effluent in for all radioactive parameters which may be present.	picocuries per liter (pCi/L)
Radioactive Materials	Conc. (pCi/L)

THE FOLLOWING ITEMS ARE ONLY REQUIRED FOR EXISTING PERMITTED FACILITIES.

12. MAJOR AMENDMENT REQUESTS (Instructions, page 28)
Are you requesting a major amendment of an existing permit? Yes No If yes, list each specific request and provide discussion on the scope of any requested permit changes.
See Attachment F
If necessary, provide supplemental information or additional data that will support the request.
13. MINOR MODIFICATION REQUESTS (Instructions, page 29)
Are you requesting any minor modifications to the permit?Yes No Note: see the instructions for a exclusive list of changes considered as minor modifications.
If yes, list and discuss the requested changes.
14. MINOR AMENDMENT REQUESTS (Instructions, page 29)
Are you requesting any minor amendments to the permit?Yes No
If yes, list and discuss the requested changes.
1

WORKSHEETS TO THE INDUSTRIAL WASTEWATER PERMIT APPLICATION TECHNICAL REPORT

Please review the worksheet requirements in the instructions and indicate by checking either yes or no which worksheets are required, completed, and submitted with the technical report. Worksheets that are not applicable do not need to be submitted with the technical report.

WORKSHEET	COMPLETED AND SUBMITTED WITH THE TECHNICAL REPORT:			
	YES	NO		
1.0: EPA EFFLUENT CATEGORICAL GUIDELINES	✓			
2.0: POLLUTANT ANALYSES REQUIREMENTS	✓			
3.0: LAND DISPOSAL OF EFFLUENT		✓		
4.0: RECEIVING WATERS	✓			
4.1: STREAM PHYSICAL CHARACTERISTICS WORKSHEET		✓		
5.0: SEWAGE SLUDGE MANAGEMENT AND DISPOSAL	✓			
6.0: INDUSTRIAL WASTE CONTRIBUTION		✓		
7.0: STORM WATER RUNOFF	✓			
8.0: AQUACULTURE		✓		
9.0: CLASS V INJECTION WELL		✓		

WORKSHEET 1.0 - EPA EFFLUENT CATEGORICAL GUIDELINES

REQUIRED FOR ALL APPLICATIONS FOR TPDES PERMITS FOR DISCHARGES OF WASTEWATERS SUBJECT TO EPA EFFLUENT LIMITATION GUIDELINES.

r facility subject to any of	the 40 Cl K elliucht gus	defines outlined in Table	1: 103
, provide the appropriate in	nformation in the table b	elow. If no , this workshe	et is not required.
Industry		·	CFR
Steam Electric Power G	enerating		423
PRODUCTION/PROCES	SS DATA (Instructions,	page 32)	
Production data: Provide	the appropriate data for ef	fluent guidelines with prod	uction based effluent li
Subcategory	Actual Quantity/D	ay Design Quantity/D	Day Units
Subcategory	Actual Quality, D	ay Design Quantity/E	ay Units
Organic Chemicals, Plast appropriate subpart and the wastestreams as required in Subcategory	e percent of total product n 40 CFR Part 414, Appe	ion. Also provide the appendices A and B.	propriate data for meta
1 Siincateoniv	% of total	Appen	dix A and B
Subcategory	production	Motel	Р мо сояя
Subtategory	production	Metal	Process
Subcategory	production	Metal	Process
Subcatogory	production	Metal	Process
Subcarogory	production	Metal	Process

N/A			
PROCESS/NON-PROCESS WASTEWAT flow(s) and non-process wastewater flow(s) as			
See item #4 below.			
			rating processes subject to efflu
guidelines and the appropriate information. (I	nstructions, pa	ige 32)	· · · · · · · · · · · · · · · · · · ·
guidelines and the appropriate information. (I	nstructions, pa		rating processes subject to efflu Date Process/Construction Commenced
guidelines and the appropriate information. (I Process	EPA G	ge 32)	Date Process/Construction
guidelines and the appropriate information. (I Process Once-through Cooling Water	EPA G	uideline Subpart	Date Process/Construction Commenced
guidelines and the appropriate information. (I Process Once-through Cooling Water Low Volume Wastes/Ash Transport Water/	EPA G Part 40 CFR	uideline Subpart 423	Date Process/Construction Commenced
guidelines and the appropriate information. (I Process Once-through Cooling Water Low Volume Wastes/Ash Transport Water/ Storm water (combined)	EPA G Part 40 CFR	uideline Subpart 423	Date Process/Construction Commenced
	EPA G Part 40 CFR	suideline Subpart 423 423	Date Process/Construction Commenced 1985 1985

WORKSHEET 2.0 - POLLUTANT ANALYSES REQUIREMENTS

REQUIRED FOR APPLICATIONS SUBMITTED FOR A TPDES PERMIT. NOT REQUIRED FOR APPLICATIONS FOR A PERMIT TO DISPOSE OF ALL WASTEWATER BY LAND DISPOSAL OR FOR DISCHARGES SOLELY OF STORM WATER RUNOFF. (General Requirements: Instructions, Page 33)

1. TABLE 1: Complete table required for all external outfalls. (Instructions, Page 34)

1. TABLE 1: Complete table required for all external outfalls. (Instructions, Page 34)								
Outfall No.: 002 VC G		Effluent	Concentra	tion (mg/l)	 	and the state of the		
Pollutants	Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average			
BOD (5-day)	<2	<2	<2	<2	<2	<u> </u>		
CBOD (5-day)	<2	<2	<2	<2	<2			
Chemical Oxygen Demand	24	16	29	27	24			
Total Organic Carbon	7.11	9.91	9.69	7.32	8.51			
Dissolved Oxygen	4.86	5.81	9.9	6.9	6.9			
Ammonia Nitrogen	<1	<1	<1	<1	<1			
Total Suspended Solids	2	2	1	<1	<2			
Nitrate Nitrogen	0.3	0.3	<0.1	<0.1	<0.2			
Total Organic Nitrogen	1	1	1	1	1			
Total Phosphorus	<0.1	<0.1	<0.1	<0.1	<0.1			
Oil and Grease	<5	<5	<5	<5	<5			
Total Residual Chlorine	0.2	0.2	0.2	0.2	0.2			
Total Dissolved Solids	162	190	182	152	172			
Sulfate	30	30	30	30	30			
Chloride	30	30	30	31	30			
Fluoride	<0.1	<0.1	<0.1	<0.1	<0.1			
Fecal Coliform	2	<1	<1	<1	<1			
Temperature(°F) *Maximum(s)	70*	103*	101*	105*	95*			
pH (Standard Units; min/max)	8.30 min	8.7 max			N/A			
		Effluent	Concentra	tion (µg/l)		MAL (μg/l)		
Total Aluminum	36.6	10.9	10.2	8.1	16.5	30		
Total Antimony	<5	<5	<5	<5	<5	60		
Total Arsenic	<5	<5	<5	<5	<5	10		
Total Barium	120	122	121	119	121	10		
Total Beryllium	<1	<1	<1	<1	<1	5		
Total Cadmium	<1	<1	<1 ·	<1	<1	1		
Total Chromium	<1	<1	<1	<1	<1	10		
Trivalent Chromium	<5	<5	<5	<5	<5	N/A		
Hexavalent Chromium	<5	<5	<5	<5	<5	10		
Total Copper	1.2	1.4	1.4	1.5	1.4	10		
Cyanide	<5	<5	<5	<5	<5	20		
Total Lead	<5	<5	<5	<5	<5	5		
Total Mercury	<0.025	<0.025	<0.025	<0.025	<0.025	0.2		
Total Nickel	<1	<1	<1	<1	<1	10		
Total Selenium	<5	<5	<5	<5	<5	10		
Total Silver	<1	<1	<1	<1	<1	2.0		
Total Thallium	<5	<5	<5	<5	<5	10		
Total Zinc	10.2	9.7	11.4	7.0	9.6	5		

2. TABLE 2: Complete table required for all external outfalls which discharge process wastewater. Partial table required for all external outfalls with nonprocess wastewater discharges. Storm water runoff discharges commingled with other wastestreams shall complete the table as instructed (Instructions, Page 34).

Outfall No.: 002						
Pollutants	Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average	MAL (μg/l)
Benzene	<10	<10	<10	<10	<10	10
Benzidine	<50	<50	<50	<50	<50	50
Benzo(a)anthracene	<10	<10	<10	<10	<10	10
Benzo(a)pyrene	<10	<10	<10	<10	<10	10
Carbon Tetrachloride	<10	<10	<10	<10	<10	10
Chlorobenzene	<10	<10	<10	<10	<10	10
Chloroform	<10	<10	<10	<10	<10	10
Chrysene	<10	<10	<10	<10	<10	10
Cresols	ND	ND	ND	ND	ND	(*2)
Dibromochloromethane	<10	<10	<10	<10	<10	10
1,2-Dibromoethane	<2	<2	<2	<2	<2	2
1,4-Dichlorobenzene	<10	<10	<10	<10	<10	10
1,2-Dichloroethane	<10	<10	<10	<10	<10	10
1,1-Dichloroethylene	<10	<10	<10	<10	<10	10
Fluoride	<0.1	<0.1	<0.1	<0.1	<0.1	500
Hexachlorobenzene	<10	<10	<10	<10	<10	10
Hexachlorobutadiene	<10	<10	<10	<10	<10	10
Hexachloroethane	<20	<20	<20	<20	<20	20
Methyl Ethyl Ketone	<50	<50	<50	<50	<50	50
Nitrobenzene	<10	<10	<10	<10	<10	10
n-Nitrosodiethylamine	<20	<20	<20	<20	<20	20
n-Nitroso-di-n-Butylamine	<20	<20	<20	<20	<20	20
PCB's, Total (*3)	<1	<1	<1	<1	<1	11
Pentachlorobenzene	<20	<20	<20	<10	<20	20
Pentachlorophenol	<50	<50	<50	<50	<50	50
Phenanthrene	<10	<10	<10	<10	<10	10
Pyridine	<20	<20	<20	<20	<20	20
1,2,4,5-Tetrachlorobenzene	<20	<20	<20	<20	<20	20
Tetrachloroethylene	<10	<10	<10	<10	<10	10
Trichloroethylene	<10	<10	<10	<10	<10	10
1,1,1-Trichloroethane	<10	<10	<10	<10	<10	10
2,4,5-Trichlorophenol	<50	<50	<50	<50	<50	50
TTHM (Total Trihalomethanes)	<10	<10	<10	<10	<10	10
Vinyl Chloride	<10	<10	<10	<10	<10	10

^(*1) Indicate units if different from $\mu g/l$.

^(*2) MAL's for Cresols: p-Chloro-m-Cresol 10 µg/l; 4,6-Dinitro-o-Cresol 50 µg/l; p-Cresol 10 µg/l

^(*3) Total of PCB-1242, PCB-1254, PCB-1221, PCB-1232, PCB-1248, PCB-1260, PCB-1016.

3.	TABLE 3:	Partial table (only those pollutants which are required by the conditions specified) required for each external outfall. Not required for internal outfalls. (Instructions, Page 34)
a.	TRIBUTYLTI	IN:
wastew	ater from the ty	your proposed facility be an industrial/commercial facilities which directly disposes of pes of operations listed below or a domestic facilities which receive wastewater from the mercial operations listed below? Yes _ ✓ No
	ndicate with a ch able below.	eck mark all of the following criteria which apply and provide the appropriate testing results
	Painting of ship Ship and boat by Ship and boat cl Operation and n Facilities engage Any other indus	and formulators of tributyltin or related compounds. s, boats and marine structures. uilding and repairing. leaning, salvage, wrecking and scaling. naintenance of marine cargo handling facilities and marinas ed in wood preserving trial/commercial facility for which tributyltin is known to be present, or for which there is elieve that tributyltin may be present in the effluent.
b.	ENTEROCOC	CCI
	our facility or wi Yes <u>√</u> No	ill your proposed facility discharge directly into saltwater receiving waters?
If yes, p	provide the appro	priate testing results in the table below.

TABLE 3

Outfall No.:							
Pollutants		Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average	MAL (μg/l)
Tributyltin							0.010
Enterococci			<u> </u>				N/A

4. TABLE 4: Complete table required for all external outfalls which discharge process wastewater and other wastewaters, which may contain pesticides or herbicides, from a facility which manufactures or formulates pesticides or herbicides. Not required for internal outfalls. (Instructions, Page 35)

Does your facility manufacture or formulate pesticides or herbicides? _____Yes ____No If yes, provide the appropriate testing results.

TABLE 4

Outfail No.:	□с □с	Effluent Concentration (μg/l) (*1)				MAL	
Pollutants		Samp. 1	Samp. 2	Samp. 3	Samp. 4	Avg.	(µg/l)
Beta-hexachlorocyclohexane							0.05
Carbaryl							5
Chlordane							0.15
Chlorpyrifos							0.05
2,4-D							10
Danitol							
4,4'-DDD							0.1
4,4'-DDE							0.1
4,4'-DDT							0.1
Demeton							0.2
Diazinon	•						0.5
Dicofol							20
Dieldrin							0.1
Diuron							0.09
Endosulfan I (alpha)							0.1
Endosulfan II (beta)	december :						0.1
Endosulfan Sulfate							0.1
Endrin							0.1
Gamma - Hexachlorocyclohexan	e (Lindane)						0.05
Guthion							0.10
Heptachlor							0.05
Heptachlor Epoxide							1,0
Hexachlorophene							10
Malathion							0.10
Methoxychlor							2.0
Mirex							0.2
Parathion							0.1
Toxaphene	-419						5
2,4,5-TP (Silvex)							2

^{*} Indicate units if different from mg/L.

5. TABLE 5: Complete table required for all external outfalls. Not required for internal outfalls. (Instructions, Page 35)

TABLE 5

Outfall No.: 002		Believed	Effluent Conc			
Pollutants	Present	Absent	Average	Maximum	No. of Samples	
Bromide		Х	0.2	0.2	4	
Color(PCU)	Х		<14	21	4	
Nitrate-Nitrite(as N)		Х	<0.2	0.3	4	
Sulfide(as S)		Х	<0.002	0.003	4	
Sulfite(as SO ₃)		х	<2	<2	4	
Surfactants		Х	<0.2	<0.2	4	
Total Antimony		х	<5 ug/l	<5 ug/i	4	
Total Beryllium		Х	<1 ug/l	<1 ug/i	4	
Total Boron	х		130 ug/l	157 ug/l	4	
Total Cobalt		Х	<1 ug/l	<1 ug/l	4	
Total Iron	Х		28.5 ug/l	38.3 ug/l	4	
Total Magnesium	х		7200 ug/l	7108 ug/l	4	
Total Molybdenum		Х	1.8 ug/l	3.4 ug/l	4	
Total Manganese		х	37.1 ug/l	40.5 ug/l	4	
Total Thallium		Х	<5 ug/l <5 ug/l		4	
Total Tin		Х	<5 ug/l	<5 ug/l <5 ug/l		
Total Titanium		Х	<1 ug/l	<1 ug/l	4	

TABLE 6: Indicate with a check mark any of the industrial categories applicable to your facility. If testing 6. is required, indicate with a check mark in the box provided that the testing results for the appropriate parameters in Table B-7 are provided with the application. (Instructions, Page 35) GC/MS Testing Required N/A <u>Acid</u> **Volatile** Base/Neutral **Pesticides** Yes Yes Yes No Adhesives and Sealants Aluminum Forming Yes Yes Yes No Yes Yes Yes Auto and Other Laundries Yes No Battery Manufacturing Yes Yes No Coal Mining No No No No Yes Yes Yes ____ Coil Coating No ___ Copper Forming Yes Yes Yes No Yes Electric and Electronic Components Yes Yes Yes Yes Electroplating Yes Yes No No Yes **Explosives Manufacturing** Yes No Foundries Yes Yes Yes No Gum and Wood Chemicals Yes Yes Subparts A,B,C,E No No Yes Yes Subparts D,F Yes No Inorganic Chemicals Yes Yes Yes No ___ Iron and Steel Manufacturing Yes Yes Yes No Leather Tanning/Finishing Yes Yes Yes No Mechanical Products Manufacturing Yes Yes Yes No Yes Yes Yes Yes Nonferrous Metals Mfg. No Yes No Ore Mining(Subpart B) No Organic Chemicals, Plastics, and Synthetic Fibers Yes Yes Yes Yes Paint and Ink Formulation Yes Yes Yes No Pesticides Yes Yes Yes Yes No No Petroleum Refining Yes No Pharmaceutical Preparations Yes Yes Yes No Photographic Equipment and Supplies Yes Yes Yes No ___ Plastic and Synthetic Materials Manufacturing Yes Yes Yes Yes No No __ Plastic Processing Yes No Porcelain Enameling No No No No Yes Yes Printing and Publishing Yes Yes Pulp and Paperboard Mills Yes Subparts A Yes Yes Subparts B,C,D,R Subparts F,G,H,I,K,L,M,N,O,P Yes Yes Subparts E,Q,S,T Yes Yes Yes Yes Yes Subparts J,U Yes Rubber Processing Yes Yes Yes No Yes Yes Soap and Detergent Manufacturing Yes No

Yes /

Yes

Yes

Yes 🗸

Yes

Yes

No

Yes

Yes

No

No

Yes

Steam Electric Power Plants

Textile Mills (Not Subpart C)

Timber Products Processing

^{*} Test if "believed present"

7. TABLE 7: Please complete as directed and only for those parameters specified in Table 6. Required for all external outfalls which contain process wastewater. Not required for internal outfalls. Testing may be required for types of industry not specified in Table 6 for specific parameters if believed present (Instructions, Page 36).

TABLE 7

Outfall No.: 002	Effluent Conce	ntration (µg/l) *		
Pollutants	Average	Maximum	No. of Samples	MAL (μg/l)
VOLATILE COMPOUNDS			Company of the Control	
Acrolein	<50	<50	4	50
Acrylonitrile	<50	<50	4	50
Benzene	<10	<10	4	10
Bromoform	<10	<10	4	10
Carbon Tetrachloride	<10	<10	4	10
Chlorobenzene	<10	<10	4	10
Chlorodibromomethane	<10	<10	4	10
Chloroethane	<50	<50	4	50
2-Chloroethylvinyl Ether	<10	<10	4	10
Chloroform	<10	<10	4	10
Dichlorobromomethane	<10	<10	4	10
1,1-Dichloroethane	<10	<10	4	10
1,2,-Dichloroethane	<10	<10	4	10
1,1-Dichloroethylene	<10	<10	4	10
1,2-Dichloropropane	<10	<10	4	10
1,3-Dichloropropylene	<10	<10	4	10
Ethylbenzene	<10	<10	4	10
Methyl Bromide	<50	<50	4	50
Methyl Chloride	<50	<50	4	50
Methylene Chloride	<20	<20	4	20
1,1,2,2-Tetrachloroethane	<10	<10	4	10
Tetrachloroethylene	<10	<10	4	10
Toluene	<10	<10	4	10
1,2-Trans-Dichloroethylene	<10	<10	4	10
1,1,1-Trichloroethane	<10	<10	4	10
1,1,2-Trichloroethane	<10	<10	4	10
Trichloroethylene	<10	<10	4	10
Vinyl Chloride	<10	<10	4	10

	Effluent Concentration (µg/l) *			
Pollutants	Average			MAL (μg/l)
ACID COMPOUNDS				
2-Chlorophenol	<10	<10	4	10
2,4-Dichlorophenol	<10	<10	4	10
2,4-Dimethylphenol	<10	<10	4	10
4,6-Dinitro-o-Cresol	<50	<50	4	50
2,4-Dinitrophenol	<50	<50	4	50
2-Nitrophenol	<20	<20	4	20
4-Nitrophenol	<50	<50	4	50
P-Chloro-m-Cresol	<10	<10	4	10
Pentachlorophenol	<50	<50	4	50
Phenol	<10	<10	4	10
2,4,6-Trichlorophenol	<10	<10	4	10
BASE/NEUTRAL COMPOUNDS	and the second			
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine	<50			50
Benzo(a)Anthracene				10
Benzo(a)Pyrene				10
3,4-Benzofluoranthene			··········	10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene	<u> </u>			10
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butylbenzyl Phthalate				10
2-chloronaphthalene				10
4-chlorophenyl phenyl ether				10
Chrysene	<10			10
Dibenzo(a,h)Anthracene				20
1,2-Dichlorobenzene				10
1,3-Dichlorobenzene				10
1,4-Dichlorobenzene	<10			10
3,3-Dichlorobenzidine				50
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10

	Effluent Concentration (µg/l) *			
Pollutants	Average	Maximum	No. of Samples	MAL (μg/l)
BASE/NEUTRAL COMPOUNDS (cont.)			an and a second	
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenyl Hydrazine (as Azobenzene)				20
Fluoranthene	1			10
Fluorene				10
Hexachlorobenzene	<10			10
Hexachlorobutadiene	<10			10
Hexachlorocyclopentadiene				10
Hexachloroethane	<20			20
Indeno(1,2,3-cd)pyrene				20
Isophorone				10
Naphthalene				10
Nitrobenzene	<10			10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine	***************************************			20
N-Nitrosodiphenylamine				20
Phenanthrene	<10			10
Pyrene				10
1,2,4-Trichlorobenzene			·	10
PESTICIDES		A CONTRACTOR OF THE PARTY OF TH		
Aldrin				0.05
alpha-BHC			` -	0.05
beta-BHC				0.05
gamma-BHC				0.05
delta-BHC	, , , , , ,			0.05
Chlordane				0.15
4,4,-DDT				0.1
4,4,-DDE				0.1
4,4,-DDE				0.1
Dieldrin				0.1
alpha-Endosulfan				0.1
beta-Endosulfan				0.1
Endosulfan Sulfate				0.1
Endrin				0.1
Endrin Aldehyde				0.1
Heptachlor				0.05

	Effluent Conce	ntration (µg/l)	1.00,900,000	
Pollutants	Average	Maximum	No. of Samples	MAL (μg/l)
PESTICIDES (cont.)				
Heptachlor Epoxide				
PCB-1254				1.0
PCB-1221				1.0
PCB-1242				
PCB-1232				1.0
PCB-1248				1.0
PCB-1260				1.0
PCB-1016				1.0
Toxaphene				5.0

^{*} Indicate units if different from $\mu g/l$

8.	TABLE 8 (DIOXINS/FURAN COMPOUNDS) : Please complete as directed. Not required for internal outfalls. (Instructions, Page 36)
a.	Are any of the following compounds manufactured and/or used in a process at the facility? Yes No
	es, indicate with a check mark the compound(s) which apply and provide a brief description of the conditions of heir presence at the facility.
	2,4,5-trichlorophenoxy acetic acid (2,4,5-T) CAS #93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid (Silvex, 2,4,5-TP) CAS #93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon) CAS #136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate (Ronnel) CAS #299-84-3 2,4,5-trichlorophenol (TCP) CAS #95-95-4 Hexachlorophene (HCP) CAS #70-30-4
b.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin (TCDD) or any congeners of TCDD may be present in your effluent? Yes \screen No es, provide a brief description of the conditions for its presence.

c. If your responded yes to either item a or b, complete Table 8 as instructed.

TABLE 8

Outfall	□с □c	Wastew	Wastewater		Sludge		
Compound	Equivalent Factors	Concentration (ppq)	Equivalents (ppq)	Concentration (ppt)	Equivalents (ppt)	MAL (ppq)	
2,3,7,8-TCDD	1					10.0	
1,2,3,7,8-PeCDD	0.5					50.0	
2,3,7,8-HxCDDs	0.1					50.0	
2,3,7,8-TCDF	0.1					10.0	
1,2,3,7,8-PeCDF	0.05					50,0	
2,3,4,7,8-PeCDF	0.5					50.0	
2,3,7,8-HxCDFs	0.1					50.0	
Total							

			· ·		
9.	TABLE 9 (HAZARDOUS SUBSTANCES): Proceed (Instructions, Page 37)	ed complete as	directed. Not r	equired for i	nternal outfalls.
a.	Are there any pollutants listed in the instructions (page Yes ✓ No	ge 37) believed	present in the	discharge?	
b.	Are there pollutants listed in Item No. 1.d. on Page No.				
If yo	our responded yes to either item, complete Table 9 as in	istructed.			
	TAB	LE 9			
Po	llutant & CAS Number	Average (μg/l)	Maximum (μg/l)	No. of Samples	Analytical Method
<u> </u>					

-		
		·
		
L	<u> </u>	

WORKSHEET 2.0 - POLLUTANT ANALYSES REQUIREMENTS

REQUIRED FOR APPLICATIONS SUBMITTED FOR A TPDES PERMIT. NOT REQUIRED FOR APPLICATIONS FOR A PERMIT TO DISPOSE OF ALL WASTEWATER BY LAND DISPOSAL OR FOR DISCHARGES SOLELY OF STORM WATER RUNOFF. (General Requirements: Instructions, Page 33)

1. TABLE 1: Complete table required for all external outfalls. (Instructions, Page 34)

Outfall No.: 006 Complete tabl	1 1		Concentra	•	· · · · · · · · · · · · · · · · · · ·	
Pollutants	Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average	Age and the second of the
BOD (5-day)	<2	<2	<2	<2	<2	7777
CBOD (5-day)	<2	<2	<2	<2	<2	
Chemical Oxygen Demand	26	34	<1	7	<17	
Total Organic Carbon	3.11	5.33	4.29	1.49	3.56	
Dissolved Oxygen	3.89	7.97	11.4	8.6	8.0	and the second
Ammonia Nitrogen	<1	<1	<1	<1	<1	
Total Suspended Solids	7	5	12	1	6	
Nitrate Nitrogen	1	0.7	1	1	1	
Total Organic Nitrogen	1	1	1	1	1	test est
Total Phosphorus	<0.1	<0.1	<0.1	<0.1	<0.1	
Oil and Grease	<5	<5	<5	<5	<5	
Total Residual Chlorine	N/A*	N/A*	N/A*	N/A*	N/A*	
Total Dissolved Solids	604	670	690	750	679	
Sulfate	365	389	403	468	406	
Chloride	40	40	42	43	41	
Fluoride	<0.1	<0.1	<0.1	<0.1	<0.1	
Fecal Coliform	<1	<1	2	<1	<1	
Temperature(°F)	80	80	77	82	80	77.
pH (Standard Units; min/max)	6.4 Min.	7.3 Max.			N/A	
*No Chlorination @ 006		Effluent	Concentra	tion (µg/l)		MAL (µg/l
Total Aluminum	236	207	219	130	198	30
Total Antimony	<5	<5	<5	<5	<5	60
Total Arsenic	<5	<5	<5	<5	<5	10
Total Barium	196	197	198	182	193	10
Total Beryllium	<1	<1	<1	<1	<1	5.
Total Cadmium	<1	<1	<1	<1	<1	1
Total Chromium	<1	<1	<1	<1	<1	10
Trivalent Chromium	<5	<5	<5	<5	<5	N/A
Hexavalent Chromium	<5	<5	<5	<5	<5	10
Total Copper	1.6	1.4	1.5	2.9	1.9	10
Cyanide	<5	<5	<5	<5	<5	20
Total Lead	<5	<5	<5	<5	<5	5
Total Mercury	<0.025	<0.025	<0.025	<0.025	<0.025	0.2
Total Nickel	9.0	11.8	15.6	18.8	13.8	10
Total Selenium	<5	<5	<5	<5	<5	10
Total Silver	<1	<1	<1	<1	<1	2.0
Total Thallium	<5	<5	<5	<5	<5	10
Total Zinc	9.0	8.3	14.6	49.7	20.4	5

2. TABLE 2: Complete table required for all external outfalls which discharge process wastewater. Partial table required for all external outfalls with nonprocess wastewater discharges. Storm water runoff discharges commingled with other wastestreams shall complete the table as instructed (Instructions, Page 34).

Outfall No.: 006 CCG		Effluent Co	ncentration	n (μg/l) (*1)		
Pollutants	Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average	MAL (µg/l)
Benzene	<10	<10	<10	<10	<10	10
Benzidine	<50	<50	<50	<50	<50	50
Benzo(a)anthracene	<10	<10	<10	<10	<10	10
Benzo(a)pyrene	<10	<10	<10	<10	<10	10
Carbon Tetrachloride	<10	<10	<10	<10	<10	10
Chlorobenzene	<10	<10	<10	<10	<10	10
Chloroform	<10	<10	<10	<10	<10	10
Chrysene	<10	<10	<10	<10	<10	10
Cresols	ND	ND	ND	ND	ND	(*2)
Dibromochloromethane	<10	<10	<10	<10	<10	10
1,2-Dibromoethane	<2	<2	<2	<2	<2	2
1,4-Dichlorobenzene	<10	<10	<10	<10	<10	10
1,2-Dichloroethane	<10	<10	<10	<10	<10	10
1,1-Dichloroethylene	<10	<10	<10	<10	<10	10
Fluoride	<0.1	<0.1	<0.1	<0.1	<0.1	500
Hexachlorobenzene	<10	<10	<10	<10	<10	10
Hexachlorobutadiene	<10	<10	<10	<10	<10	10
Hexachloroethane	<20	<20	<20	<20	<20	20
Methyl Ethyl Ketone	<50	<50	<50	<50	<50	50
Nitrobenzene	<10	<10	<10	<10	<10	10
n-Nitrosodiethylamine	<20	<20	<20	<20	<20	20
n-Nitroso-di-n-Butylamine	<20	<20	<20	<20	<20	_20
PCB's, Total (*3)	<1	<1	<1	<1	<1	1
Pentachlorobenzene	<20	<20	<20	<10	<20	20
Pentachlorophenol	<50	<50	<50	<50	<50	50
Phenanthrene	<10	<10	<10	<10	<10	_10
Pyridine	<20	<20	<20	<20	<20	20
1,2,4,5-Tetrachlorobenzene	<20	<20	<20	<20	<20	20
Tetrachloroethylene	<10	<10	<10	<10	<10	10
Trichloroethylene	<10	<10	<10	<10	<10	10
1,1,1-Trichloroethane	<10	<10	<10	<10	<10	10
2,4,5-Trichlorophenol	<50	<50	<50	<50	<50	50
TTHM (Total Trihalomethanes)	<10	<10	<10	<10	<10	10
Vinyl Chloride	<10	<10	<10	<10	<10	10

^(*1) Indicate units if different from $\mu g/l$.

^(*2) MAL's for Cresols: p-Chloro-m-Cresol 10 μg/l; 4,6-Dinitro-o-Cresol 50 μg/l; p-Cresol 10 μg/l

^(*3) Total of PCB-1242, PCB-1254, PCB-1221, PCB-1232, PCB-1248, PCB-1260, PCB-1016.

3.	TABLE 3:		se pollutants which are required by the conditions specified) required all. Not required for internal outfalls. (Instructions, Page 34)
a.	TRIBUTYL	CIN:	
waste	water from the t	ypes of operations liste	y be an industrial/commercial facilities which directly disposes of d below or a domestic facilities which receive wastewater from the ed below? Yes No
-	, indicate with a c table below.	heck mark all of the foll	owing criteria which apply and provide the appropriate testing results
	_ Operation and _ Facilities enga _ Any other indu	ps, boats and marine strouilding and repairing. cleaning, salvage, wrecl maintenance of marine ged in wood preserving strial/commercial facili	utyltin or related compounds. ructures. king and scaling. cargo handling facilities and marinas ty for which tributyltin is known to be present, or for which there is nay be present in the effluent.
b.	ENTEROCO	CCI	
	your facility or v Yes <u>√</u> No	vill your proposed facil	ity discharge directly into saltwater receiving waters?
If yes	, provide the app	opriate testing results in	the table below.
			TABLE 3
Out	fall No.:	□с□g	Effluent Concentration (µg/l)

Outfall No.:	□c□g		Effluent Concentration (μg/l)					
Pollutants		Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average	MAL (µg/l)	
Tributyltin	•						0.010	
Enterococci							N/A	

4. TABLE 4: Complete table required for all external outfalls which discharge process wastewater and other wastewaters, which may contain pesticides or herbicides, from a facility which manufactures or formulates pesticides or herbicides. Not required for internal outfalls. (Instructions, Page 35)

Does your facility manufacture or formulate pesticides or herbicides? _____ Yes ____ No If yes, provide the appropriate testing results.

TABLE 4

Outfall No.:	Effluent Concentration (μg/l) (*1)				MAL	
Pollutants	Samp. 1	Samp. 2	Samp. 3	Samp. 4	Avg.	(µg/l)
Beta-hexachlorocyclohexane						0.05
Carbaryl						5
Chlordane						0.15
Chlorpyrifos						0.05
2,4-D						10
Danitol						
4,4'-DDD						0.1
4,4'-DDE						0.1
4,4'-DDT						0.1
Demeton						0.2
Diazinon						0.5
Dicofol						20
Dieldrin						0.1
Diuron						0.09
Endosulfan I (alpha)						0.1
Endosulfan II (beta)						0.1
Endosulfan Sulfate						0.1
Endrin						0.1
Gamma - Hexachlorocyclohexane (Lindane)						0.05
Guthion				:		0.10
Heptachlor						0.05
Heptachlor Epoxide						1.0
Hexachlorophene						10
Malathion						0.10
Methoxychlor						2.0
Mirex	<u> </u>					0.2
Parathion						0.1
Toxaphene				:		5
2,4,5-TP (Silvex)						2

^{*} Indicate units if different from mg/L.

5. TABLE 5: Complete table required for all external outfalls. Not required for internal outfalls. (Instructions, Page 35)

TABLE 5

Outfall No.: 006	G Believed	Believed	Effluent Conc			
Pollutants	Present	Absent	Average	Maximum	No. of Samples	
Bromide		х	0.2	0.3	4	
Color(PCU)	X		7	13	4	
Nitrate-Nitrite(as N)		х	0.7	0.9	4	
Sulfide(as S)		х	<0.002	<0.002	4	
Sulfite(as SO ₃)		х	<2	<2	4	
Surfactants		х	<0.2	<0.2	4	
Total Antimony		х	<5 ug/l	<5 ug/l	4	
Total Beryllium		Х	<1 ug/l	<1 ug/l	4	
Total Boron	Х		2268 ug/l	2350 ug/l	4	
Total Cobalt		х	4.3 ug/l	6.9 ug/l	4	
Total Iron	X		161 ug/l	236 ug/l	4	
Total Magnesium	X		11662 ug/l	16300 ug/i	4	
Total Molybdenum		х	12.0 ug/l	14.9 ug/l	4	
Total Manganese		х	136 ug/l	195 ug/l	4	
Total Thallium		Х	<5 ug/l	<5 ug/l	4	
Total Tin		Х	<5 ug/l	<5 ug/l	4	
Total Titanium		х	6.3 ug/l	9.6 ug/l	4	

TABLE 6: Indicate with a check mark any of the industrial categories applicable to your facility. If testing 6. is required, indicate with a check mark in the box provided that the testing results for the appropriate parameters in Table B-7 are provided with the application. (Instructions, Page 35) GC/MS Testing Required N/A **Volatile** <u>Acid</u> Base/Neutral **Pesticides** Yes Yes Yes No Adhesives and Sealants **Aluminum Forming** Yes Yes Yes No Yes Yes Yes Auto and Other Laundries Yes Yes No Yes No Battery Manufacturing Coal Mining No No No No Yes Yes Yes No Coil Coating __ Copper Forming Yes Yes Yes No Electric and Electronic Components Yes Yes Yes Yes Yes Yes Yes No Electroplating No **Explosives Manufacturing** Yes Yes No Yes: Yes Yes No Foundries Gum and Wood Chemicals Yes Yes Subparts A.B.C.E No No Yes Yes Yes No Subparts D,F Inorganic Chemicals Yes Yes Yes No Yes No Iron and Steel Manufacturing Yes Yes Leather Tanning/Finishing Yes Yes Yes No Yes Yes Yes No Mechanical Products Manufacturing Yes Yes Yes Yes Nonferrous Metals Mfg. Ore Mining(Subpart B) No Yes No No Organic Chemicals, Plastics, and Synthetic Fibers Yes Yes Yes Yes Paint and Ink Formulation Yes Yes Yes No Yes Yes Pesticides Yes Yes Petroleum Refining Yes No No No Yes Yes Yes No Pharmaceutical Preparations Yes Yes No Photographic Equipment and Supplies Yes Plastic and Synthetic Materials Manufacturing Yes Yes Yes Yes Yes No No No Plastic Processing No No No No Porcelain Enameling Yes Yes Printing and Publishing Yes Yes Pulp and Paperboard Mills Subparts A Yes Yes Subparts B,C,D,R Yes Yes Yes _Subparts F,G,H,I,K,L,M,N,O,P Yes Subparts E,Q,S,T Yes Yes Yes Yes Yes _Subparts J,U Yes Yes Yes No Rubber Processing Yes Yes No Soap and Detergent Manufacturing Yes No No Steam Electric Power Plants Yes Yes 🗸

No

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Textile Mills (Not Subpart C)

Timber Products Processing

^{*} Test if "believed present"

7. TABLE 7: Please complete as directed and only for those parameters specified in Table 6. Required for all external outfalls which contain process wastewater. Not required for internal outfalls. Testing may be required for types of industry not specified in Table 6 for specific parameters if believed present (Instructions, Page 36).

TABLE 7

Outfall No.: 006	□c √ G	Effluent Conce	ntration (μg/l) *		
Pollutants		Average	Maximum	No. of Samples	MAL (μg/l)
VOLATILE COMPOUNDS					
Acrolein		<50	<50	4	50
Acrylonitrile		<50	<50	4	50
Benzene		<10	<10	4	10
Bromoform		<10	<10	4	10
Carbon Tetrachloride		<10	<10	4	10
Chlorobenzene		<10	<10	4	10
Chlorodibromomethane		<10	<10	4	10
Chloroethane		<50	<50	4	50
2-Chloroethylvinyl Ether		<10	<10	4	10
Chloroform		<10	<10	4	_10
Dichlorobromomethane		<10	<10	4	10
1,1-Dichloroethane		<10	<10	4	10
1,2,-Dichloroethane		<10	<10	4	10
1,1-Dichloroethylene		<10	<10	4 .	10
1,2-Dichloropropane		<10	<10	4	10
1,3-Dichloropropylene		<10	<10	4	10
Ethylbenzene		<10	<10	4	10
Methyl Bromide		<50	<50	4	50
Methyl Chloride		<50	<50	4	50
Methylene Chloride		<20	<20	4	20
1,1,2,2-Tetrachloroethane		<10	<10	4	10
Tetrachloroethylene		<10	<10	4	10
Toluene		<10	<10	4	10
1,2-Trans-Dichloroethylene		<10	<10	4	10
1,1,1-Trichloroethane		<10	<10	4	10
1,1,2-Trichloroethane		<10	<10	4	10
Trichloroethylene		<10	<10	4	10
Vinyl Chloride		<10	<10	4	10

	Effluent Conce	ntration (µg/l) *	17 TX 18 TX	
Pollutants	Average	Maximum	No. of Samples	MAL (μg/l)
ACID COMPOUNDS		- 15 F		
2-Chlorophenol	<10	<10	4	10
2,4-Dichlorophenol	<10	<10	4	10
2,4-Dimethylphenol	<10	<10	4	10
4,6-Dinitro-o-Cresol	<50	<50	4	50
2,4-Dinitrophenol	<50	<50	4	50
2-Nitrophenol	<20	<20	4	20
4-Nitrophenol	<50	<50	4	50
P-Chloro-m-Cresol	<10	<10	4	10
Pentachlorophenol	<50	<50	4	50
Phenol	<10	<10	4	10
2,4,6-Trichlorophenol	<10	<10	4	10
BASE/NEUTRAL COMPOUNDS				
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine	<50			50
Benzo(a)Anthracene				10
Benzo(a)Pyrene				10
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				10
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butylbenzyl Phthalate				10
2-chloronaphthalene				10
4-chlorophenyl phenyl ether				10
Chrysene	<10			10
Dibenzo(a,h)Anthracene				20
1,2-Dichlorobenzene				10
1,3-Dichlorobenzene				10
1,4-Dichlorobenzene	<10	<u> </u>		10
3,3-Dichlorobenzidine				50
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10

	Effluent Conce	entration (μg/l) *		
Pollutants	Average	Maximum	No. of Samples	MAL (μg/l)
BASE/NEUTRAL COMPOUNDS (cont.)				
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenyl Hydrazine (as Azobenzene)				20
Fluoranthene				10
Fluorene				10
Hexachlorobenzene	<10			10
Hexachlorobutadiene	<10			10
Hexachlorocyclopentadiene				10
Hexachloroethane	<20			20
Indeno(1,2,3-cd)pyrene				20
Isophorone				10
Naphthalene				10
Nitrobenzene	<10			10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene	<10			10
Pyrene				10
1,2,4-Trichlorobenzene		<u></u>		10
PESTICIDES			1000	
Aldrin				0.05
alpha-BHC				0.05
beta-BHC				0.05
gamma-BHC	!			0.05
delta-BHC				0.05
Chlordane				0.15
4,4,-DDT				0.1
4,4,-DDE				0.1
4,4,-DDE				0.1
Dieldrin				0.1
alpha-Endosulfan				0.1
beta-Endosulfan				0.1
Endosulfan Sulfate				0.1
Endrin				0.1
Endrin Aldehyde				0.1
Heptachlor				0.05

	Effluent Conce	entration (μg/l)	1000	7.5
Pollutants	Average	Maximum	No. of Samples	MAL (μg/l)
PESTICIDES (cont.)	5100			
Heptachlor Epoxide				
PCB-1254				1.0
PCB-1221				1.0
PCB-1242				
PCB-1232				1.0
PCB-1248				1.0
PCB-1260				1.0
PCB-1016				1.0
Toxaphene		<u> </u>		5.0

^{*} Indicate units if different from µg/l

8.	TABLE 8 (DIOXINS/FURAN COMPOUNDS) : Please complete as directed. Not required for internal outfalls. (Instructions, Page 36)
a.	Are any of the following compounds manufactured and/or used in a process at the facility? Yes No
	res, indicate with a check mark the compound(s) which apply and provide a brief description of the conditions of their presence at the facility.
	2,4,5-trichlorophenoxy acetic acid (2,4,5-T) CAS #93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid (Silvex, 2,4,5-TP) CAS #93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon) CAS #136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate (Ronnel) CAS #299-84-3 2,4,5-trichlorophenol (TCP) CAS #95-95-4 Hexachlorophene (HCP) CAS #70-30-4
b.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin (TCDD) or any congeners of TCDD may be present in your effluent? Yes _ ✓ _ No
If y	res, provide a brief description of the conditions for its presence.
c.	If your responded ves to either item a or b, complete Table 8 as instructed.

TABLE 8

Outfall	□c □c	Wastev	vater	Slud	lge	
Compound	Equivalent Factors	Concentration (ppq)	Equivalents (ppq)	Concentration (ppt)	Equivalents (ppt)	MAL (ppq)
2,3,7,8-TCDD	1					10.0
1,2,3,7,8-PeCDD	0.5					50.0
2,3,7,8-HxCDDs	0.1					50.0
2,3,7,8-TCDF	0.1					10.0
1,2,3,7,8-PeCDF	0.05					50.0
2,3,4,7,8-PeCDF	0.5					50.0
2,3,7,8-HxCDFs	0.1					50.0
Total						·

9.	TABLE 9 (HAZARDOUS SUBSTANCES) : Proceed complete as directed. Not required for internal outfalls. (Instructions, Page 37)
a.	Are there any pollutants listed in the instructions (page 37) believed present in the discharge? Yes No
b.	Are there pollutants listed in Item No. 1.d. on Page No. 1 of this technical report which are believed present in the discharge and have not been analytically quantified elsewhere in this application? Yes No
If yo	ur responded yes to either item, complete Table 9 as instructed.
	TABLE 9

Pollutant & CAS Number	Average (µg/l)	Maximum (μg/l)	No. of Samples	Analytical Method
			:	

WORKSHEET 4.0 - RECEIVING WATERS

THE FOLLOWING IS REQUIRED FOR ALL TPDES PERMIT APPLICATIONS

1.	DOMESTIC DRINKING WATER SUPPLY (Instructions, Page 46)
	For Outfalls 002, 003, 302, 202, and 102 there a surface water intake for domestic drinking water supply located within 5 (five) miles downstream from e point/proposed point of discharge? Yes No
	yes, identify owner of the drinking water supply, the distance and direction to the intake, and locate and identify e intake on the USGS map. Indicate by a check mark that the requested information is provided:
2.	DISCHARGE INTO TIDALLY INFLUENCED WATERS (Instructions, Page 46) N/A
a.	Width of the receiving water at the outfall?feet
b.	Are there oyster reefs in the vicinity of the discharge? Yes No
If	yes, indicate approximate distance and direction from outfall(s):
c.	Are there any sea grasses within the vicinity of the point of discharge? Yes No
If	yes, provide the distance and direction to the grasses:
3.	CLASSIFIED SEGMENT (Instructions, Page 46)
Is	the discharge directly into (or within 300 feet of) a classified segment? Yes No
	yes, stop here. It is not necessary to complete items 4 and 5 and it is not necessary to complete Worksheet 2.1. no, complete items 4 and 5.
4.	DESCRIPTION OF IMMEDIATE RECEIVING WATERS (Instructions, Pages 46)
Na	me of the immediate receiving waters: Brandv Branch Reservoir
a. 	Check the appropriate description of the receiving waters Man-made Channel or Ditch Stream or creek ✓ Lake or Pond
	Surface area 1250 acres. Average depth of the entire water body 25 feet Average depth of water body within a 500-foot radius or the discharge point 20 feet Freshwater Swamp or Marsh Tidal Stream, Bayou, or Marsh Open Bay Other:
If	a man-made channel, ditch or stream was checked above, provide the following:
	Check one of the following that best characterizes the area upstream of the discharge. For new discharges, aracterize the area downstream of the discharge (check one). Intermittent (dry for at least one week during most years)

	ck the method used to characterize the area upstream (or downstream for new dischargers): USGS flow rds, ✓ personal observation, historical observation by adjacent landowner(s), others, specify:
	ist the name(s) of all perennial streams that join the receiving water within three miles downstream of the narge point: N/A
or m	On the receiving water characteristics change within three miles downstream of the discharge? (e.g., natural nan-made dams, ponds, reservoirs, etc.)YesNo N/A es, discuss how:
e. P	rovide general observations of the water body during normal dry weather conditions: N/A
Date Was	and time of observation: water body influenced by storm water runoff during observations? Yes✓_ No GENERAL CHARACTERISTICS OF WATER BODY (Instructions, Page 47)
a. Is	the receiving water upstream of the discharges or proposed discharge site influenced by (check as appropriate): oil field activities
b. U	Uses of water body, observed or evidences of (check as appropriate): livestock watering
c. C	heck one of the following to best describe the aesthetics of the receiving water and the surrounding area: <u>Wilderness</u> : outstanding natural beauty; usually wooded or unpastured area: water clarity exceptional <u>Natural Area</u> : trees and/or native vegetation common; some development evident (from fields,
-	pastures, dwellings); water clarity discolored <u>Common Setting</u> : not offensive, developed but uncluttered; water may be colored or turbid <u>Offensive</u> : stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored

WORKSHEET 4.0 - RECEIVING WATERS

THE FOLLOWING IS REQUIRED FOR ALL TPDES PERMIT APPLICATIONS

 DOMESTIC DRINKING WATER SUPPLY (Instructions, Page 46) For Outfalls 004, 005, and 006 Is there a surface water intake for domestic drinking water supply located within 5 (five) miles downstream from the point/proposed point of discharge? Yes✓_ No
If yes, identify owner of the drinking water supply, the distance and direction to the intake, and locate and identify the intake on the USGS map. Indicate by a check mark that the requested information is provided:
2. DISCHARGE INTO TIDALLY INFLUENCED WATERS (Instructions, Page 46) N/A
a. Width of the receiving water at the outfall?feet
b. Are there oyster reefs in the vicinity of the discharge? Yes No
If yes, indicate approximate distance and direction from outfall(s):
c. Are there any sea grasses within the vicinity of the point of discharge? Yes No
If yes, provide the distance and direction to the grasses:
3. CLASSIFIED SEGMENT (Instructions, Page 46)
Is the discharge directly into (or within 300 feet of) a classified segment? Yes No
If yes, stop here. It is not necessary to complete items 4 and 5 and it is not necessary to complete Worksheet 2.1 If no, complete items 4 and 5.
4. DESCRIPTION OF IMMEDIATE RECEIVING WATERS (Instructions, Pages 46)
Name of the immediate receiving waters: Unnamed tributary, thence to Hatley Creek
a. Check the appropriate description of the receiving waters Man-made Channel or Ditch Stream or creek Lake or Pond
Surface areaacres. Average depth of the entire water bodyfeet Average depth of water body within a 500-foot radius or the discharge pointfeet Freshwater Swamp or Marsh Tidal Stream, Bayou, or Marsh Open Bay Other:
If a man-made channel, ditch or stream was checked above, provide the following:
 b. Check one of the following that best characterizes the area upstream of the discharge. For new discharges characterize the area downstream of the discharge (check one). Intermittent (dry for at least one week during most years) Intermittent with Perennial Pools (enduring pools containing sufficient habitat to maintain significant aquatic life uses) Perennial (normally flowing)

	ne method used to characterize the area upstream (or downstream for new dischargers): USGS flow ✓ personal observation, historical observation by adjacent landowner(s), others, specify:
c. List t discharg Hatley	
or man-ı	ne receiving water characteristics change within three miles downstream of the discharge? (e.g., natural made dams, ponds, reservoirs, etc.) Yes Yes Y_ No iscuss how:
	ide general observations of the water body during normal dry weather conditions:
Was wat	Itime of observation: Numerous times during last several years. Iter body influenced by storm water runoff during observations? Yes _ ✓ _ No GENERAL CHARACTERISTICS OF WATER BODY (Instructions, Page 47) receiving water upstream of the discharges or proposed discharge site influenced by (check as appropriate): oil field activities urban runoff agricultural runoff septic tanks upstream discharges others, specify below
b. Uses	of water body, observed or evidences of (check as appropriate): N/A livestock watering contact recreation irrigation withdrawal non contact recreation fishing navigation domestic water supply industrial water supply picnic park activities others, specify below
	k one of the following to best describe the aesthetics of the receiving water and the surrounding area: Wilderness: outstanding natural beauty; usually wooded or unpastured area: water clarity exceptional Natural Area: trees and/or native vegetation common; some development evident (from fields, pastures, dwellings); water clarity discolored Common Setting: not offensive, developed but uncluttered; water may be colored or turbid Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored


WORKSHEET 5.0 - SEWAGE SLUDGE MANAGEMENT AND DISPOSAL


THE FOLLOWING IS REQUIRED FOR ALL TPDES PERMIT APPLICATIONS THAT MEET THE CONDITIONS AS OUTLINED IN TECHNICAL REPORT 1.0, ITEM NO. 7.

1.	SEWAGE SLUDGE SOLIDS MANAGEMENT PLAN (Instructions, Page 50)
a.	Is this a new permit application or an amendment permit application? Yes No
b.	Does the facility discharge in the Lake Houston watershed? Yes _ No
	s to either item a or b, indicate by a check mark that a solids management plan was provided with the ication.
2.	SEWAGE SLUDGE MANAGEMENT AND DISPOSAL (Instruction, Page 50)
a.	Please check the current sludge disposal method(s). More than one method can be checked.
V	Permitted landfill Registered land application site Surface disposal site (sludge monofill) Transported to another WWTP (written statement or contractual agreement required) Beneficial land application as authorized in the existing permit
b.	Disposal site name, TCEQ Permit/Registration Number and County where disposal site is located: City of Lone Star POTW. TCEQ Permit No. 12411-01
c.	Method of Transportation (truck, train, pipe, other) and hauler Registration Number: Transported by truck by Phillips Services, Inc., TCEQ Registration #20124
Tran Lanc	sported in:liquid semi-liquid semi-solid solid state Soil Conditioning
d.	If the existing permit contains authorization for sludge land application, composting, marketing and distribution of sludge, and/or sludge lagoons and authorization to renew the activity is being sought in the application, the appropriate sections of the <u>Sludge Technical Report</u> must be provided.
3.	PERMIT AUTHORIZATION FOR SEWAGE SLUDGE DISPOSAL (Instructions, Page 51)
	you requesting new authorization to beneficially land apply sewage sludge at this site or a site under your direct rol? Yes✓ No
	you requesting new authorization to market and distribute sewage sludge at this facility or a facility under your ct control? Yes No
Are	you requesting new authorization to compost sewage sludge? Yes No
	you requesting new authorization to surface dispose sewage sludge at this site or site under your direct control? Yes✓No
	you requesting new authorization to incinerate sewage sludge at this site or site under your direct control? _ Yes _ ✓ _ No
If ye	s to any of the above items, provide the information required in the SLUDGE TECHNICAL REPORT.
New	authorization for beneficial land application, incineration, and sludge lagoons in the TPDES or TLAP permits

requires a major amendment to the permit. New authorization for composting may require a major amendment to the permit. See the instructions for an explanation whether a major amendment is required or if authorization for

composting can be added through the renewal process.





#314032# #043301601# 103#4835#

WORKSHEET 7.0 - STORM WATER RUNOFF WORKSHEET

REQUIRED FOR ALL TPDES PERMIT APPLICATIONS APPLYING FOR INDIVIDUAL PERMIT COVERAGE FOR DISCHARGES OF STORM WATER RUNOFF.

W		y of the proposed or exist the listed non-storm wa	_		J
	ceed as directed. If n	o, stop here.			
	dicate by a check mar orm water outfall,	k which type of authoriz	ation covers	or is proposed to cove	or discharges from each
Outfall	Coverage Under MSGP	Coverage Under Individual Permit	Outfall	Coverage Under MSGP	Coverage Under Individual Permit
003		х			
004		х	, i		
005	·	x			
PERMIT 3. Si	APPLICATION.	page 54) - Indicate by a c		nat a site map(s) of the	
✓ tl ✓ a e ✓ c ✓ lo ✓ s ✓ y b ✓ b ✓ v	ne location of each sto n outline of the drain ach outfall to be cove onnections or dischar ocations of all structur tructural control device rocess wastewater tre ag house and other ai andfills; scrapyards; s ehicle and equipment	orm water outfall to be co age area that is within the age points to municipal se res (e.g. buildings, garag ces that are designed to re atment units (including part treatment units exposer urface water bodies (including)	e facility's because facility's because storage to educe pollution ponds); d to precipital duding wetlan	soundary and that con a sewer systems; anks); ion in storm water run tion or runoff; ands);	off;
lctl	ocations where spills one three years before to rocessing areas, stora	or leaks of reportable quathis application was subuge areas, material loading precipitation or runofle	ality (as defir nitted to obta ng/unloading	ned in 30 TAC §327.4 ain coverage under an) have occurred during individual permit; and

						10.18
Se	e Attachment H					
	Provide a narrative descri	ptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above aterials t
	listed inventory that occ precipitation or runoff.	ptions of the indust cur outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above aterials t
— е	listed inventory that occ	ptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above
Đ:	listed inventory that occ precipitation or runoff.	ptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above
e	listed inventory that occ precipitation or runoff.	ptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above aterials t
P	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above aterials t
e	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above
e	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above aterials t
e	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	t may result in ex	g the materials in posure of the m	the above
e	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	activities involving t may result in ex	g the materials in posure of the m	the above
ie	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	t may result in ex	g the materials in posure of the m	the above
Se	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	t may result in ex	g the materials in	the above
Se	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	t may result in ex	g the materials in	the above
Se	listed inventory that occ precipitation or runoff.	iptions of the indust our outdoors or in	rial processes and some manner tha	t may result in ex	g the materials in posure of the m	the above

FACILITY/SITE INFORMATION (Instructions, page 55)

4.

ee Attachment I		
•		

- 5. POLLUTANT ANALYSIS (Instructions, page 55)
- a. TABLE 1-SW: Please complete the table as directed.

			S (mg/L) AVERAGI		mg/L)	
Outfall 003	Grab Sample		Grab Samp		Number	
	Taken	Flow	Taken	Flow	of	
	During	Weighte	_	Weighted	Storm	
	First 30	Compos		Composite	Events	MAL
<u>Pollutant</u>	<u>Minutes</u>	Sample	<u>Minutes</u>	<u>Sample</u>	Sampled	(mg/L)
pH (Standard Units)	8. 65 _{min}	(ma	x) 8 <u>.65</u> (min)	(max)	*	
Total Suspended Solids	1			(max)	*	
-		_	1 20		*	
Chemical Oxygen Demand	<u>20</u>	—	20			
Total Organic Carbon	5.44		5.44		*	
Oil and Grease	<u><5</u>		<u><5</u>		*	
Total Arsenic	<5 ug/1		<5_ug/1		*	0.010
Total Barium	69 ug/1		69 ug/1		*	0.010
Total Cadmium	<1_ug/1		<1_ug/1		*	0.001
Total Chromium	<1 ug/1		<1_ug/1		*	0.010
Trivalent Chromium	<5 ug/1		<5 <u>ug</u> /1		*	
Hexavalent Chromium	<5 <u>ug/1</u>		<5 <u>ug</u> /1		*	0.010
Total Copper	< Lug/ 1		<1_ոց/1		*	0.010
Total Lead	<5 <u>ug/1</u>		<5 <u>ug/1</u>		*	0.005
)25_ug/1		<0.025_ug/1		*	0.0002
Total Nickel	<1 ug/1		<1_ug/1		*	0.010
Total Selenium 10).6 <u>ug/1</u>		10.6 <u>ug</u> /1		*	0.010
Total Silver	<1_ug/1		<1 <u>ug</u> /1		*	0.002
Total Zinc	.l_ug/l		4.1 <u>ug</u> /1		*	0.005

Analyses are from one grab sample taken out of the stormwater collection pond. See Item No. 6 on page 7-5. Actual discharges are treated to precipitate metals prior to the discharge event.

b. TABLE 2-SW: Please complete the table as directed. (Instructions, Page 55)

		ALUES (mg/L)	AVERAGE V	ALUES (mg/L	
Outfall 003	Grab Sample		Grab Sample		Number
	Taken	Flow	Taken	Flow	of
	During	Weighted	During	Weighted	Storm
	First 30	Composite	First 30	Composite	Events
<u>Pollutant</u>	<u>Minutes</u>	<u>Sample</u>	<u>Minutes</u>	Sample	Sampled
Iron	0.035	N/A	0.035	N/A	* see
					below
					
					• • • • • • • • • • • • • • • • • • • •
					
			·····		
					•
					
		.			

	·	<u></u>			
				•	
				•	

6. STORM EVENT DATA (Instructions, page 57)

Please provide the following data for the storm event(s) which resulted in the maximum values for the analytical data submitted:

a.	Date of storm event:	n/a*

- e. Maximum flow rate during rain event (gallons/minute): n/a*
- g. Provide a description of the method of flow measurement or estimate:

*Outfall 003 is associated with a controlled-discharge stormwater management pond that was not being discharged during the permit renewal sampling events. The analyses above were obtained from a grab sample of stormwater collected directly from the pond, but not during a storm event.

b. Duration of storm event (in minutes): n/a*

<sup>c. Total rainfall during storm event (in inches): n/a*
d. Number of hours between beginning of storm measured and end of previous measurable rain event:</sup>

- 5. POLLUTANT ANALYSIS (Instructions, page 55)
- a. TABLE 1-SW: Please complete the table as directed.

			ng/L) AVERAGI			
Outfall <u>004</u>	Grab Sample		Grab Samp		Number	
	Taken	Flow	Taken	Flow	of	
	During	Weighted	During	Weighted	Storm	3.64.7
D. H	First 30	Composite	First 30	Composite	Events	MAL
<u>Pollutant</u>	<u>Minutes</u>	<u>Sample</u>	<u>Minutes</u>	Sample_	Sampled	(mg/L)
pH (Standard Units)	8 <u>.42(min)</u>	(max)	8 <u>.42</u> (min)	(max)	*	
Total Suspended Solids	6		6		*	
Chemical Oxygen Demar			<u>6</u> 31		*	
Total Organic Carbon	9 <u>.58</u>		9 <u>.58</u>		*	
Oil and Grease	<5		<u><5</u>		*	
Total Arsenic	 <5_ug/1		<5 <u>ug</u> /1		*	0.010
	113 ug/1	***************************************	113 ug/1	***************************************	*	0.010
	<1 ug/1		<1 ug/1		*	
Total Cadmium						0.001
Total Chromium	<1_ug/1		<1 ug/1		*	0.010
Trivalent Chromium	<5_ug/1		<5 <u>ug</u> /1		*	
Hexavalent Chromium	<5_ug/1		<5_ug/1		*	0.010
Total Copper	<1_ug/1		<1_ug/1			0.010
Total Lead	<5 ug/1		<5 <u>ug</u> /1		*	0.005
Total Mercury <0.	025 <u>ug</u> /1	<0	.025_ug/1		*	0.0002
Total Nickel	4.7 <u>ug</u> /1		4.7 <u>ug</u> /1		*	0.010
Total Selenium 4	1.8_ug/1		41.8 <u>ug</u> /1		*	0.010
Total Silver	<1_ug/1		<1 <u>ug</u> /1		*	0.002
Total Zinc 1	5.6 ug/1		15.6_ug/1		*	0.005

^{*} Analyses are from one grab sample taken out of the stormwater collection pond. See Item No. 6 on page 7-5. Actual discharges are treated to precipitate metals prior to the discharge event.

b. TABLE 2-SW: Please complete the table as directed. (Instructions, Page 55)

Outfall 004	MAXIMUM VA Grab Sample	ALUES (mg/L)	AVERAGE V Grab Sample	ALUES (mg/L) Number
Oddani	Taken	Flow	Taken	Flow	of
	During	Weighted	During	Weighted	Storm
	First 30	Composite	First 30	Composite	Events
<u>Pollutant</u>	Minutes	Sample	<u>Minutes</u>	Sample	Sampled
LVIIIII	TYLLLAGOU		***************************************	Suit più	170111111111111111111111111111111111111
Iron	0.538	N/A	0.538	N/A	* see
					below
	·				
				·	
		***************************************	***************************************		-
	-				
				- · · · · · · · · · · · · · · · · · · ·	
				** ************************************	
					
			•		
					
		-			
					
			 		
					•

STORM EVENT DATA (Instructions, page 57)

Please provide the following data for the storm event(s) which resulted in the maximum values for the analytical data submitted:

a.	Date of storm event: n/a*
b.	Duration of storm event (in minutes): n/a [*]
c.	Total rainfall during storm event (in inches): n/a*
d.	Number of hours between beginning of storm measured and end of previous measurable rain event: n/a* hours
e.	Maximum flow rate during rain event (gallons/minute): n/a*
f.	Total storm water flow from rain event (in gallons): n/a
g.	Provide a description of the method of flow measurement or estimate:

*Outfall 004 is associated with a controlled-discharge stormwater management pond that was not being discharged during the permit renewal sampling events. The analyses above were obtained from a grab sample of stormwater collected directly from the pond, but not during a storm event.

g.

- 5. POLLUTANT ANALYSIS (Instructions, page 55)
- a. TABLE 1-SW: Please complete the table as directed.

	MAXIMUM	VALUES	(mg/L) AVERAGI	E VALUES (1	mg/L)	
Outfall 005	Grab Sample	;	Grab Samp	le	Number	
	Taken	Flow	Taken	Flow	of	
	During	Weighted	_	Weighted	Storm	
	First 30	Composit	e First 30	Composite	Events	MAL
Pollutant	<u>Minutes</u>	Sample	<u>Minutes</u>	Sample_	Sampled	(mg/L)
pH (Standard Units)	7 <u>.30</u> (min)	(max	7.30 _(min)	(max)	*	
Total Suspended Solids	<u>10</u>		10		*	
Chemical Oxygen Dema			28		*	** ***
Total Organic Carbon	9 <u>.94</u>		9 <u>.94</u>		*	
Oil and Grease	<u><5</u>		<u><5</u>			
Total Arsenic	<5 <u>ug</u> /1		< <u>5 ug/1</u>		*	0.010
Total Barium	104 <u>ug</u> /1		10 <u>4_ug</u> /1		*	0.010
Total Cadmium	<1 <u>ug</u> /1		<1_ug/1		*	0.001
Total Chromium	41 <u>ug</u> /1		< <u>1_ug</u> /1	.	* 	0.010
Trivalent Chromium	<5 <u>ug</u> /1		< <u>5_ug/1</u>		*	
Hexavalent Chromium	<5 <u>ug</u> /1		< <u>5 ug</u> /1		*	0.010
Total Copper	<1_ug/1		<1_ug/1		*	0.010
Total Lead	<5 <u>ug</u> /1		< <u>5_ug/1</u>		*	0.005
Total Mercury <0.	025 <u>ug</u> /1		<0.02 <u>5 ug</u> /1		*	0.0002
Total Nickel	Հ1_ug/1		< <u>1_ug/1</u>			0.010
Total Selenium	<5_ug/1		< <u>5 ug/1</u>		*	0.010
Total Silver	<1_ug/1		<1 ug/1		*	0.002
Total Zinc	4.7 <u>ug</u> /1		4.7 ug/1		*	0.005

^{*} Analyses are from one grab sample taken out of the stormwater collection pond. See Item No. 6 on page 7-5.

b. TABLE 2-SW: Please complete the table as directed. (Instructions, Page 55)

Outfall 005 Pollutant	MAXIMUM V. Grab Sample Taken During First 30 Minutes	ALUES (mg/L) Flow Weighted Composite Sample	AVERAGE V Grab Sample Taken During First 30 Minutes	ALUES (mg/L Flow Weighted Composite Sample	Number of Storm Events Sampled
Iron	0.317	N/A	0.317	N/A	* see
					below
					-
					
11.000					
				<u></u>	
					
					
	4,5				

6. **STORM EVENT DATA** (Instructions, page 57)

Please provide the following data for the storm event(s) which resulted in the maximum values for the analytical data submitted:

a.	Date of storm event: n/a*
b.	Duration of storm event (in minutes): n/a
c.	Total rainfall during storm event (in inches): n/a*
d.	Number of hours between beginning of storm measured and end of previous measurable rain event: n/a* hours
e.	Maximum flow rate during rain event (gallons/minute): n/a*
f.	Total storm water flow from rain event (in gallons): n/a*
g.	Provide a description of the method of flow measurement or estimate:

*Outfall 005 is associated with a controlled-discharge stormwater management pond that was not being discharged during the permit renewal sampling events. The analyses above were obtained from a grab sample of stormwater collected directly from the pond, but not during a storm event.

g.

ATTACHMENT A

ORIGINAL USGS TOPOGRAPHIC MAP